

Spring

Jaroslav Dytrych

Faculty of Information Technology Brno University of Technology
Božetěchova 1/2. 612 66 Brno - Královo Pole
dytrych@fit.vutbr.cz



4 November 2020

Spring

- IoC (Inversion of Control)
- Spring Introduction
- Annotations
- Configuration
- Transactions
- **Events**
- **Aspects**
- **Spring Web MVC** (beans for Model, JSP for View and Spring for Controller)
- **Security**



- Some parts of our code receives the flow of control from a generic framework.
- Principle “Don’t call us, we’ll call you.”
- Instances of classes are not created but they are provided externally. Class do not need to know about implementation of an interface.
- Mostly used techniques are:
 - Constructor Injection – constructor is able to receive needed objects,
 - Setter Injection – class have a setters for necessary objects,
 - Interface Injection – interface with setters for necessary objects is defined, class have to implement this interface.
- Advantages:
 - Less dependencies between particular classes.
 - Explicitly specified dependencies.
 - Less type casting.
 - Better reusability of components.
- Disadvantages:
 - It is more complicated to understand the code.

- One of the most popular application development frameworks for enterprise Java.
- Spring makes JavaEE development easier.
- Benefits
 - Working with POJOs (no enterprise containers)
 - Modular framework
 - Can be combined with many other technologies
 - Framework for web with MVC
 - API for JDBC (Java Database Connectivity), Hibernate
 - IoC containers, dependency injection
 - Consistent transaction management




- Dependency injection is example of IoC.
- Makes writing of reusable and independent components possible.
 - Glues them together.
- Dependency injection in Spring can happen in the way of passing parameters to the constructor or by post-construction using setter methods.



- Cross-cutting concerns are conceptually separate from the application's business logic.
- Examples
 - Logging
 - Transaction management
 - Security
 - Caching
- Defining method interceptors and pointcuts
 - Pointcuts for events
 - Interceptors handles events

Portlet – more servlets on the one page (generating fragments)



ORM – Object/Relational Mapping, OXM – Object/XML mapping

- The Core module provides the fundamental parts of the framework, including the IoC and Dependency Injection features.
- The Bean module provides BeanFactory which is a sophisticated implementation of the factory pattern.
- The Context module provides ApplicationContext interface, through which configured objects are accessible.
- The Expression Language module provides a powerful expression language for querying and manipulating an object graph at runtime.

- JDBC (Java Database Connectivity) abstraction layer
- The ORM module provides integration layers for popular object-relational mapping APIs, including JPA (Java Persistence API), JDO (Java Data Objects), Hibernate, and iBatis.
- The OXM module provides an abstraction layer that supports Object/XML mapping implementations for JAXB, Castor, XMLBeans, JiBX and XStream.
- The JMS module contains features for producing and consuming messages.
- The Transaction module supports programmatic and declarative transaction management for classes that implement special interfaces and for all your POJOs.


- Web
 - provides basic web-oriented integration features
 - Multipart fileupload
 - Initialization of IoC container
 - Servlet listeners, application context
- Web-Servlet module
 - Model-View-Controller (MVC)
- Web-Struts
 - Integration with Struts framework (MVC with strict rules)
 - deprecated as of Spring 3.0 – use Struts 2.0 and its Spring integration or Spring MVC solution instead
- Web-Portlet
 - MVC implementation to be used in portlet environment
 - Mirrors functionality of Servlet



- Create POJO object.
- Create Bean configuration file.
- Get application context.
 - `ClassPathXmlApplicationContext ("Beans.xml");`
- Get POJO bean.
- Perform bean functionality.



```
public class MainApp {  
    public static void main(String[] args) {  
        ApplicationContext context =  
            new ClassPathXmlApplicationContext("Beans.xml");  
        HelloWorld obj =  
            (HelloWorld) context.getBean("helloWorld");  
        obj.getMessage();  
    }  
}  
  
public class HelloWorld {  
    private String message;  
    public void setMessage(String message){  
        this.message = message;  
    }  
    public void getMessage(){  
        System.out.println("Your Message : " + message);  
    }  
}  
  
<bean id="helloWorld" class="cz.vutbr.fit.HelloWorld">  
    <property name="message" value="Hello World!" />  
</bean>
```





- BeanFactory container
 - Basic support for dependency injection.
 - Class XmlBeanFactory (deprecated).
 - Various interfaces for backward compatibility.
- ApplicationContext container
 - More enterprise-specific functionality.
 - Wire beans together.
 - Recommended over BeanFactory.
 - FileSystemXmlApplicationContext – full path to XML
 - ClassPathXmlApplicationContext – XML on ClassPath
 - WebApplicationContext – for web applications (WEB-INF)

- Configuration metadata
 - How to create a bean,
 - Bean's lifecycle details,
 - Bean's dependencies.
- Properties
 - class – POJO class for the bean,
 - name – unique identifier,
 - scope,
 - constructor-arg – what should be passed into constructor,
 - autowire – Autowiring mode – injecting dependencies (nesting of dependencies),
 - lazy-init – Lazy-initialization mode – startup/request initialization,
 - init-method – initialization method,
 - destroy-method – destruction method.



Three types of configuration:

- XML based configuration file

- Beans.xml

```
<!-- A bean definition with lazy init set on -->
<bean id="..." class="..." lazy-init="true">
</bean>
<!-- A bean definition with initialization method -->
<bean id="..." class="..." init-method="...">
</bean>
<!-- A bean definition with destruction method -->
<bean id="..." class="..." destroy-method="...">
</bean>
```

- Annotation based configuration

- Used together with XML.

- Java based configuration

- Avoid using XML (usage of Annotations, Java class replaces XML).



- Singleton
 - one instance per Spring IoC (default),
 - we will get always same instance.
- Prototype
 - may have multiple instances,
 - always creates a new instance.
- Request
 - only valid in the context of web-aware Spring Application Context (HTTP request).
- Session
 - bean definition for a HTTP session.
- Global session
 - only in web applications, used with portlets.

- Only two important callbacks
 - but other exists behind the scenes.
- Initialization callback

- Default:

```
void afterPropertiesSet() throws Exception;
```

- Explicit setting:

```
<bean id="exampleBean"  
      class="examples.ExampleBean"  
      init-method="init"/>
```

- **public void** init();

- Destruction callback

- **void** destroy() throws Exception;

```
<bean id="exampleBean"  
      class="examples.ExampleBean"  
      destroy-method="finish"/>
```

- **public void** finish();

- BeanPostProcessor interface defines callback methods
 - for own instantiation logic,
 - for dependency resolution logic.
- Methods:
 - `postProcessBeforeInitialization(Object bean, String beanName)`
 - `postProcessAfterInitialization(Object bean, String beanName)`
- Called after IoC instantiates a bean or an object.
- An ApplicationContext automatically detects any beans that are defined with implementation of the BeanPostProcessor.
- Order of interfaces execution can be specified.



- Bean definition contains a lot of configuration
 - constructor arguments,
 - property values,
 - container specific methods (`init`, `destroy`),
 - ...
- A child bean definition
 - inherits configuration data from a parent definition,
 - may override some methods and add others,
 - regular inheritance concept.
- XML configuration
 - attribute `parent`



- Two types of dependency injection (DI)
 - Constructor based
 - Setter based
- Constructor based
 - Constructor-based DI is accomplished when the container invokes a class constructor with a number of arguments, each representing a dependency on the other class.
- Setter based
 - Setter-based DI is accomplished by the container calling setter methods on your beans after invoking a no-argument constructor or no-argument static factory method to instantiate a bean.



- In the code

```
public TextEditor(SpellChecker spellChecker) {  
    this.spellChecker = spellChecker;  
}
```

- In the XML configuration file

```
<bean id="textEditor" class="com.tutorialspoint.TextEditor">  
    <constructor-arg ref="spellChecker"/>  
</bean>  
<bean id="spellChecker" class="com.tutorialspoint.SpellChecker">  
</bean>
```

- Constructor argument resolution

- By name (of the parameter)

```
<constructor-arg name="message" value="Test"/>
```

- By type

```
<constructor-arg type="java.lang.String" value="Test"/>
```

- By index (in the parameters of the constructor)

```
<constructor-arg index="0" value="Test"/>
```



- Setter based DI uses property tags.
- Attribute ref of property designates object to set.
- Regular form

```
<bean id="john-classic" class="com.example.Person">
    <property name="name" value="John Doe"/>
    <property name="spouse" ref="jane"/>
</bean>
<bean name="jane" class="com.example.Person">
    <property name="name" value="Jane Doe"/>
</bean>
```

- XML configuration using p-namespace

```
<bean id="john-classic" class="com.example.Person"
      p:name="John Doe"
      p:spouse-ref="jane"/>
</bean>
<bean name="jane" class="com.example.Person"
      p:name="Jane Doe"/>
</bean>
```

- Same model as inner classes in Java

```
<bean id="outerBean" class="..."><br/>
    <property name="target"><br/>
        <bean id="innerBean" class="..."/><br/>
    </property><br/>
</bean>
```

- Concretely

```
<bean id="textEditor" class="com.example.TextEditor"><br/>
    <property name="spellChecker"><br/>
        <bean id="spellChecker" class="com.example.SpellChecker"/><br/>
    </property><br/>
</bean>
```



- Spring allows injecting following types
 - List
 - list of values allowing duplicates
 - Set
 - set of values without duplicate
 - Map
 - injecting key-value pairs, where both can be of any type
 - Props
 - injecting key-value pairs, both of type `String`

```
<property name="addressList">
<list>
    <value>Praha</value>
    <value>Ostrava</value>
    <value>Brno</value>
    <value>Brno</value>
</list>
</property>
```

```
<property name="addressMap">
<map>
    <entry key="1" value="Praha"/>
    <entry key="2" value="Ostrava"/>
    <entry key="3" value="Brno"/>
    <entry key="4" value="Brno"/>
</map>
</property>
```

```
<property name="addressSet">
<set>
    <value>Praha</value>
    <value>Ostrava</value>
    <value>Brno</value>
    <value>Brno</value>
</set>
</property>
```

```
<property name="addressProp">
<props>
    <prop key="one">Praha</prop>
    <prop key="two">Ostrava</prop>
    <prop key="three">Brno</prop>
    <prop key="four">Brno</prop>
</props>
</property>
```

- Results in calling `setAddressList`, `setAddressSet`, `setAddressMap` and `setAddressProp`



- Reference injections

- Bean property value:

```
<property name="myProperty">
    <ref bean="address1"/>
</property>
```

- Value of collection entry:

```
<entry key="one" value-ref="address1"/>
```

- Injecting null value

```
<bean id="..." class="exampleBean">
    <property name="email"><null/></property>
</bean>
```

- Resolved to setEmail(null);



- The Spring container can auto-wire relationships between collaborating beans.
- Auto-wiring modes
 - no – using explicit bean reference
 - byName – looks for property name
 - byType – only one bean of given type must exist
 - constructor – similar to byType, applies to constructor
 - autodetect – by default is tried by constructor, then by type



- Works best when used consistently across the project.

Limitations	Description
Overriding possibility	You can still specify dependencies using <code><constructor-arg></code> and <code><property></code> settings which will always override autowiring.
Primitive data types	You cannot autowire so-called simple properties such as primitives and Strings.
Confusing nature	Autowiring is less exact than explicit wiring, so if possible prefer using explicit wiring.

- Available since Spring 2.5.
- Performed before XML injection.
- Auto-wiring not turned on by default.
- Variants
 - `@Required` – on setter methods
 - `@Autowired` – on all methods
 - `@Qualifier` – together with `@Autowired` can specify bean to be injected
 - `@Resource`, `@PreDestroy`, `@PostConstruct`



- **@Required** – affected bean property must be populated
 - otherwise BeanInitializationException
- **@Autowired** – autowiring byType
 - @Autowired with required=false
- **@Qualifier**
 - removes confusion (selection of particular bean)
 @Qualifier("student1")

 <bean id="student1" class="com.tutorialspoint.Student">
- **@Resource**
 - takes a name
 - provides byName autowiring
- **@PreDestroy** and **@PostConstruct**
 - callbacks

Examples springAnnotations, springAnnotationsAutowire,
SpringAnnotationsAutowireConstructor, springQualifierAnnotation



- Avoids using XML

- @Bean

- @Configuration

```
@Configuration
```

```
public class HelloWorldConfig {  
    @Bean  
    public HelloWorld helloWorld(){  
        return new HelloWorld();  
    }  
}
```

- Is equivalent to XML annotation

```
<beans>  
    <bean id="helloWorld" class="com.example.HelloWorld" />  
</beans>
```



- Injecting bean dependencies

```
@Configuration
public class AppConfig {

    @Bean
    public Foo foo() {
        return new Foo(bar());
    }

    @Bean
    public Bar bar() {
        return new Bar();
    }
}
```

- @Import annotation
 - import from another configuration class

```
@Configuration
public class ConfigA {
    @Bean
    public A a() {
        return new A();
    }
}

@Configuration
@Import(ConfigA.class)
public class ConfigB {
    @Bean
    public B b() {
        return new B();
    }
}
```

- Life-cycle callbacks
 - @Bean(initMethod = "init", destroyMethod = "cleanup")
- Specifying bean scope
 - @Scope("prototype")



- Events are fired by ApplicationContext
 - ContextStartedEvent – when an ApplicationContext gets started.
 - ContextRefreshedEvent – when an ApplicationContext gets initialized or refreshed.
 - ContextStoppedEvent
 - ContextClosedEvent
 - RequestHandledEvent
 - Web-specific
- Implement appropriate interface
 - ApplicationListener<...Event>
- Override onApplicationEvent (...Event)



- Event must inherit from `ApplicationEvent`.
- Class publishing a custom event must implement interface `ApplicationEventPublisherAware`
 - Contains `setApplicationEventPublisher()` for dependency on `ApplicationEventPublisher`.
- Class accepting custom event must implement interface `ApplicationListener<CustomEvent>`
 - method `onApplicationEvent(CustomEvent event)`
 - where `CustomEvent` is a name of custom event class.



- AOP breaks program logic to separate “concerns”.
- Spring provides a set of interceptors.
- Terminology
 - **Aspect** – module providing cross-cutting requirements (e.g. logging).
 - **Join point** – point, where AOP aspect can be “plugged in” (method execution, exception handling, changing object variable, etc.).
 - **Advice** – action (e.g. after method execution).
 - **Pointcut** – set of join points, where advice should be executed (a predicate that matches join points).
 - **Introduction** – allows adding new methods to existing classes.
 - Target object – object being advised.
 - AOP proxy – an object created by the AOP framework in order to implement the aspect contracts.
 - Weaving – linking aspects with other application types or objects to create an advised object.



Advice	Description
before	Run advice before a method execution.
after	Run advice after a method execution regardless of its outcome.
after-returning	Run advice after a method execution only if method completes successfully.
after-throwing	Run advice after a method execution only if method exits by throwing an exception.
around	Run advice before and after the advised method is invoked.

- Declare an aspect
 - <aop:aspect id="myAspect" ref="aBean">

- Declare pointcut
 - <aop:pointcut id="businessService" expression="execution(* com.service.*.*(..))"/>

- Declare advice
 - <aop:before pointcut-ref="businessService" method="doRequiredTask"/>

```
<aop:config>
  <aop:aspect id="log" ref="logging">
    <aop:pointcut id="selectAll"
      expression="execution(* com.example.*.*(..))"/>
    <aop:before pointcut-ref="selectAll" method="beforeAdvice"/>
    <aop:after pointcut-ref="selectAll" method="afterAdvice"/>
    <aop:after-returning pointcut-ref="selectAll"
      returning="RetVal"
      method="afterReturningAdvice"/>
    <aop:after-throwing pointcut-ref="selectAll" throwing="ex"
      method="AfterThrowingAdvice"/>
  </aop:aspect>
</aop:config>
```

Example SpringAspect



- Enabled by
 - <aop:aspect j-autoproxy/>

- Declaring aspect

```
@Aspect  
public class AspectModule {  
    ...  
}
```

- Declare pointcut

```
@Pointcut("execution(* com.example.Student.*(..))")  
private void businessService() {}
```

- Declare advice

```
@Around("businessService())")  
public void doAroundTask(){  
    ...  
}
```

- It is possible to access pointcut information from advice

```
@Before("businessService())")  
public void beforeAdvice(JoinPoint jp){  
    System.out.println("Going to " + jp.getSignature());  
}
```

Example springJAspect



- Spring takes care of low-level things.
- The only necessary actions
 - define connection,
 - specify SQL statement.
- JDBC template class `JdbcTemplate`
 - executes SQL queries,
 - returns `ResultSet`,
 - threadsafe once configured,
 - can be injected to multiple DAOs (Data access objects).
- `RowMapper<T>`
 - mapping rows of a `ResultSet` on a per-row basis

```
public class StudentMapper implements RowMapper<Student> {  
    @Override  
    public Student mapRow(ResultSet rs, int rowNum)  
        throws SQLException {  
        Student student = new Student();  
        student.setId(rs.getInt("id"));  
        student.setName(rs.getString("name"));  
        student.setAge(rs.getInt("age"));  
        return student;  
    }  
}
```

```
<bean id="dataSource"
  class="org.springframework.jdbc.datasource.DriverManagerDataSource">
  <property name="driverClassName" value="com.mysql.jdbc.Driver"/>
  <property name="url" value="jdbc:mysql://localhost:3306/TEST"/>
  <property name="username" value="springJDBC"/>
  <property name="password" value="password"/>
</bean>
```

- Data object
 - read/write database
 - support for JDBC, Hibernate, JPA, JDO

- Query for object (Integer)

```
String SQL = "select count(*) from Student";
int rowCount = jdbcTemplateObject.queryForObject(SQL,
    Integer.class);
```

- Insert

```
String SQL = "insert into Student (name, age) values (?, ?)";
jdbcTemplateObject.update(SQL, new Object[]{"Sue", 11});
```

- Update

```
String SQL = "update Student set name = ? where id = ?";
jdbcTemplateObject.update(SQL, new Object[]{"Ed", 10});
```

- Delete


```
String SQL = "delete Student where id = ?";
jdbcTemplateObject.update(SQL, new Object[]{20});
```


- Local transactions
 - specific to a single transactional resource like a JDBC connection.
- Global transactions
 - distributed computing environment.
- Transactions in Spring
 - programmatic,
 - declarative.



- The **Model** encapsulates the application data and in general they will consist of POJO.
- The **View** is responsible for rendering the model data and in general it generates HTML output that the client's browser can interpret.
- The **Controller** is responsible for processing user requests and building appropriate model and passes it to the view for rendering.

- Handles HTTP requests and responses







- After receiving an HTTP request, DispatcherServlet consults the HandlerMapping to call the appropriate Controller.
- The Controller takes the request and calls the appropriate service methods based on used GET or POST method. The service method will set model data based on defined business logic and returns view name to the DispatcherServlet.
- The DispatcherServlet will take help from ViewResolver to pick up the defined view for the request.
- Once view is finalized, the DispatcherServlet passes the model data to the view which is finally rendered on the browser.

- Declare servlet in `web.xml`.
- Customize it in `<appName>-servlet.xml`.
- Specify URL pattern to be handled (`*.jsp`).
- Enable Spring MVC annotation scanning.
 - `<context:component-scan...>`
- Define controller and mapping.

- The `@Controller` annotation defines the class as a Spring MVC controller.
- `@RequestMapping` indicates that all handling methods on this controller are relative to the `/hello` path.
- Due to return value, redirection to `hello.jsp` will happen.

```
@Controller
public class HelloController {
    @RequestMapping(value = "/hello", method = RequestMethod.GET)
    public String printHello(ModelMap model) {
        model.addAttribute("message",
            "Hello Spring MVC Framework!");
        return "hello";
    }
}
```



- Here \${message} is the attribute which we have setup inside the Controller. You can have multiple attributes to be displayed inside your view.
- File path will be /WEB-INF/hello/hello.jsp

```
<html>
    <head>
        <title>Hello Spring MVC</title>
    </head>
    <body>
        <h2>${message}</h2>
    </body>
</html>
```



- Some pages should not be publicly available.
- Managing user roles
 - Users can view pages according to their user role level (user, admin, super-admin).
- Login
 - Default
 - Custom appearance may be defined.
 - HTTP
 - HTTP Authentication (RFC 7235, 7615, 7616, 7617).
 - User logged in as long as browser runs.



- XML based
 - web.xml
 - mvc-dispatcher-servlet.xml
 - spring-security.xml
- Annotation based
 - @Configuration
 - @EnableWebSecurity
 - @EnableWebMVC – imports the Spring MVC configuration
 - @ComponentScan



- spring-security.xml

```
<http auto-config="true">
    <intercept-url pattern="/admin**" access="ROLE_USER" />

    <form-login
        login-page="/login"
        default-target-url="/welcome"
        authentication-failure-url="/login?error"
        username-parameter="username"
        password-parameter="password" />
    <logout logout-success-url="/login?logout" />
    <!-- enable csrf protection -->
    <csrf/>
</http>

<authentication-manager>
    <authentication-provider>
        <user-service>
            <user name="user" password="123456"
                  authorities="ROLE_USER" />
        </user-service>
    </authentication-provider>
</authentication-manager>
```

Example SpringCustomSecurity



- From version 5.0.0.RC1 password-encoder must be set.

```
<authentication-manager>
    <authentication-provider>
        <password-encoder ref="passwordEncoder" />
        <user-service>
            <user name="user" password="123456"
                  authorities="ROLE_USER" />
        </user-service>
    </authentication-provider>
</authentication-manager>

<b:bean id="textEncryptor"
      class="org.springframework.security.crypto.encrypt.Encryptors"
      factory-method="noOpText" />

<b:bean id="passwordEncoder"
      class=
      "org.springframework.security.crypto.password.NoOpPasswordEncoder"
      factory-method="getInstance" />
```

```
@Configuration
@EnableWebSecurity
public class AppSecurityConfig extends WebSecurityConfigurerAdapter {

    @Autowired
    public void configureGlobal(AuthenticationManagerBuilder auth)
        throws Exception {
        auth.inMemoryAuthentication().withUser("tom").
            password("123456").roles("USER");
        auth.inMemoryAuthentication().withUser("bill").
            password("123456").roles("ADMIN");
        auth.inMemoryAuthentication().withUser("james").
            password("123456").roles("SUPERADMIN");
    }

    @Override
    protected void configure(HttpSecurity http) throws Exception {
        http.authorizeRequests()
            .antMatchers("/protected/**").access("hasRole('ROLE_ADMIN')")
            .antMatchers("/confidential/**").access("hasRole('ROLE_SUPERADMIN')")
            .and().formLogin();
    }
}
```

```
auth.inMemoryAuthentication().withUser("tom").  
    password("{noop}123456").roles("USER");
```

- Supported password formats
 - plaintext
 - sha, sha256
 - md4, md5
- Integration with LDAP is possible.
- Newer versions supports also PBKDF2 (Password-Based Key Derivation Function 2), BCrypt, sCrypt, Argon2, ...

```
<authentication-manager>
    <authentication-provider>
        <password-encoder hash="sha" />
        <user-service>
            <user name="user"
                  password="7c4a8d09ca3762af61e59520943dc26494f8941b"
                  authorities="ROLE_USER" />
        </user-service>
    </authentication-provider>
</authentication-manager>
```



- Cross-site request forgery
 - Spring has to know, that the origin of the request to the admin section is from the trusted source (the form comes from this application and not from an attacker who sends a request for example from an advertisement).
 - Otherwise hackers would be able to do exploit when the admin is logged in.
- Post CSRF token in request

```
<form action="$logoutUrl" method="post" id="logoutForm">
    <input type="hidden" name="${_csrf.parameterName}"
           value="${_csrf.token}" />
</form>
```

- Enable CSRF protection in configuration
 - <csrf/>



Xml

```
<authentication-manager>
    <authentication-provider>
        <jdbc-user-service data-source-ref="dataSource"
            users-by-username-query=
                "select username,password,enabled from users where username=?"
            authorities-by-username-query=
                "select username,role from user_roles where username =?"/>
    </authentication-provider>
</authentication-manager>

<bean id="dataSource" class=
    "org.springframework.jdbc.datasource.DriverManagerDataSource">
    <property name="driverClassName" value="com.mysql.jdbc.Driver" />
    <property name="url" value="jdbc:mysql://localhost:3306/test" />
    <property name="username" value="springJDBC" />
    <property name="password" value="password" />
</bean>
```

Annotation

```
@Autowired  
DataSource dataSource;  
  
@Autowired  
public void configAuthentication(AuthenticationManagerBuilder auth)  
    throws Exception {  
    auth.jdbcAuthentication().passwordEncoder(passwordEncoder())  
        .dataSource(dataSource)  
        .usersByUsernameQuery(  
            "select username,password,enabled from users where username=?")  
        .authoritiesByUsernameQuery(  
            "select username,role from user_roles where username=?");  
}  
  
@Bean  
public PasswordEncoder passwordEncoder() {  
    return NoOpPasswordEncoder.getInstance();  
}
```

- Spring tutorial
 - <http://www.tutorialspoint.com/spring/index.htm>
- Spring documentation
 - <https://docs.spring.io/spring/docs/5.2.9.RELEASE/>
 - https://docs.spring.io/spring-framework/docs/5.2.9.RELEASE_to_5.2.10.RELEASE/
- Using Spring Handler Interceptors to Decouple Business Logic
 - <https://sdevarapalli.wordpress.com/2011/02/16/using-spring-handler-interceptors-to-decouple-business-logic/>
- Overview of Spring MVC Architecture
 - <http://terasolunaorg.github.io/guideline/1.0.1.RELEASE/en/Overview/SpringMVCOversight.html>
- Spring MVC Framework
 - <http://www.wideskills.com/spring/spring-mvc-framework>

- AOP
 - <http://www.mkyong.com/spring/spring-aop-example-pointcut-advisor/>
 - <http://www.byteslounge.com/tutorials/spring-aop-pointcut-advice-example>
- Logout in Spring Security 4
 - <http://websystique.com/spring-security/spring-security-4-logout-example/>

Thank you for your attention!